

	Type	L #	Hits	Search Text	DBs
1	BRS	L1	328	399/88,33,37.ccls.	US- PGPUB; USPAT
2	BRS	L2	655	399/67,69.ccls.	US- PGPUB; USPAT
3	BRS	L3	602	2 not 1	US- PGPUB; USPAT
4	BRS	L4	167	399/320.ccls.	US- PGPUB; USPAT
5	BRS	L5	147	4 not (1 or 2)	US- PGPUB; USPAT
6	BRS	L6	1741	219/216.ccls.	US- PGPUB; USPAT
7	BRS	L7	1449	6 not (1 or 2 or 4)	US- PGPUB; USPAT
8	BRS	L8	323	219/476,477,480.ccls.	US- PGPUB; USPAT
9	BRS	L9	321	8 not (1 or 2 or 4 or 6)	US- PGPUB; USPAT
10	BRS	L10	380	219/507.ccls.	US- PGPUB; USPAT
11	BRS	L11	361	10 not (1 or 2 or 4 or 6 or 8)	US- PGPUB; USPAT
12	BRS	L12	688	307/38.ccls.	US- PGPUB; USPAT
13	BRS	L13	685	12 not (1 or 2 or 4 or 6 or 8 or 10)	US- PGPUB; USPAT
14	BRS	L14	904	307/139,140.ccls.	US- PGPUB; USPAT
15	BRS	L15	863	14 not (1 or 2 or 4 or 6 or 8 or 10 or 12)	US- PGPUB; USPAT

	Type	L #	Hits	Search Text	DBs
16	BRS	L16	250	307/80.ccls.	US- PGPUB; USPAT
17	BRS	L17	240	16 not (1 or 2 or 4 or 6 or 8 or 10 or 12 or 14)	US- PGPUB; USPAT
18	BRS	L18	825	307/125,126.ccls.	US- PGPUB; USPAT
19	BRS	L19	695	18 not (1 or 2 or 4 or 6 or 8 or 10 or 12 or 14 or 16)	US- PGPUB; USPAT
20	BRS	L20	1217	323/282.ccls.	US- PGPUB; USPAT
21	BRS	L21	1205	20 not (1 or 2 or 4 or 6 or 8 or 10 or 12 or 14 or 16 or 18)	US- PGPUB; USPAT
22	BRS	L22	99596	(switch\$4 with (power\$1 or electric\$5)) same (lamp\$1 or heat\$3 or resist\$5)	US- PGPUB; USPAT
23	BRS	L23	15811	(detect\$3 or sens\$3) near5 ((input\$4 or incom\$3) near2 voltage\$1)	US- PGPUB; USPAT
24	BRS	L24	3744	22 and 23	US- PGPUB; USPAT
25	BRS	L25	20550	("110" or "220") near3 (volt\$1 or "v")	US- PGPUB; USPAT
26	BRS	L26	265	24 and 25	US- PGPUB; USPAT
27	BRS	L27	2	26 and "399"/\$3.ccls.	US- PGPUB; USPAT
28	BRS	L28	263	26 not 27	US- PGPUB; USPAT
29	BRS	L29	38	28 and "219"/\$6.ccls.	US- PGPUB; USPAT
30	BRS	L30	225	28 not 29	US- PGPUB; USPAT

	Type	L #	Hits	Search Text	DBs
31	BRS	L31	30	30 and "307"/\$6.ccls.	US- PGPUB; USPAT
32	BRS	L32	195	30 not 31	US- PGPUB; USPAT
33	BRS	L33	186943 8	fix\$5 or fus\$5	US- PGPUB; USPAT
34	BRS	L34	2222	24 and 33	US- PGPUB; USPAT
35	BRS	L35	2045	34 not 26	US- PGPUB; USPAT
36	BRS	L36	1944	35 not (1 or 2 or 4 or 6 or 8 or 10 or 12 or 14 or 16 or 18 or 20)	US- PGPUB; USPAT
37	BRS	L37	25	36 and "399"/\$3.ccls.	US- PGPUB; USPAT
38	BRS	L38	1919	36 not 37	US- PGPUB; USPAT
39	BRS	L39	131	38 and "219"/\$6.ccls.	US- PGPUB; USPAT
40	BRS	L40	1788	38 not 39	US- PGPUB; USPAT
41	BRS	L41	115	40 and "307"/\$6.ccls.	US- PGPUB; USPAT
42	BRS	L42	24981	g03g015/20.ipc.	EPO; JPO
43	BRS	L43	72035	g03g015/00.ipc.	EPO; JPO
44	BRS	L44	124271	switch\$4 with (power\$1 or electric\$5)	EPO; JPO
45	BRS	L45	4263	(detect\$3 or sens\$3) near5 ((input\$4 or incom\$3) near2 voltage\$1)	EPO; JPO
46	BRS	L46	101199 5	fix\$5 or fus\$5	EPO; JPO

	Type	L #	Hits	Search Text	DBs
47	BRS	L47	54	44 and 45 and 46	EPO; JPO
48	BRS	L48	8	47 and (42 or 43)	EPO; JPO
49	BRS	L49	46	47 not 48	EPO; JPO
50	BRS	L50	1708	(42 or 43) and 44	EPO; JPO
51	BRS	L51	706	46 and 50	EPO; JPO
52	BRS	L52	544	51 and (lamp\$1 or heat\$3)	EPO; JPO
53	BRS	L53	537	52 not 47	EPO; JPO
54	BRS	L54	312	("110" or "220") near3 (volt\$1 or "v")	EPO; JPO
55	BRS	L55	0	53 and 54	EPO; JPO
56	BRS	L56	76223	switch\$4 with voltage\$1	EPO; JPO
57	BRS	L57	101	53 and 56	EPO; JPO